

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)**Section 1. Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Product Form	Mixture
Trade Name	CLEAR-CURE DH 200
Product Code	CC200

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use	Industrial. For professional use only.
-----	--

**1.2.2 Uses Advised Against**

No additional information available

**1.3 Details of the supplier of the safety data sheet**

Manufacturer	Supplier
NOX-CRETE MANUFACTURING INC 1444 SOUTH 20 <sup>TH</sup> STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: <a href="mailto:corporate@nox-crete.com">corporate@nox-crete.com</a> Web Site: <a href="http://www.nox-crete.com">www.nox-crete.com</a>	

**1.4 Emergency telephone number**

Emergency Number	Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887
------------------	--

**Section 2. Hazards identification****2.1 Classification of the substance or mixture**

Acute Tox. 4 (inhalation)	H332
STOT SE 3 drowsiness	H336
Carc. 2	H351
Repr. 1B	H360
STOT RE 2	H373

Full text of H phrases see section 16

**Adverse physiochemical, human health and environmental effects**

No additional information available

**2.2 Label elements**

Hazard pictograms



Signal word	Danger
-------------	--------

Hazard statements	H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness
-------------------	---

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

H351 - Suspected of causing cancer  
H360 - May damage fertility or the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary statements****Prevention:**

P201- Obtain special instructions before use  
P202- Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response:**

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Storage:**

P308+P313 - IF exposed or concerned: Get medical advice/attention  
P403+P233 - Store in a well ventilated place. Keep container tightly closed.

**Disposal:**

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

None known

Full text of R, H and EUH phrases: see section 16

**Section 3. Composition / information on ingredients****3.1 Substances**

Not applicable

**3.2 Mixture**

Name	Product identifier	%
Petroleum distillate	Trade Secret	Trade Secret
Xylene	1330-20-7	<0.8
Ethylbenzene	100-41-4	<0.3

**Section 4. First aid measures****4.1 Description of first aid measures****First-aid measures general**

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

**First-aid measures after inhalation**

If the individual experiences nausea, dizziness, has difficulty In breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

**First-aid measures after skin contact**

If skin irritation persists, seek medical attention. Remove or take off

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

<b>First-aid measure after eye contact</b>	Immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.
<b>First-aid measures after ingestion</b>	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately. Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.
<b><u>4.2 Most important symptoms and effects, acute and delayed</u></b>	
<b>Symptoms/injuries after inhalation</b>	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.
<b>Symptoms/injuries after skin contact</b>	May cause skin irritation or burning sensation
<b>Symptoms/injuries after eye contact</b>	May cause eye irritation or injury
<b>Symptoms/injuries after ingestion</b>	May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach
<b><u>4.3 Indication of any immediate medical attention and special treatment needed</u></b>	
No additional information available	

## Section 5. Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media**

Dry chemical, foam carbon dioxide

**Unsuitable extinguishing media**

Do not use heavy water stream

### 5.2 Special hazards arising from the substance or mixture

**Reactivity**

Thermal decomposition products may cause a health hazard.

### 5.3 Advice for firefighters

**Firefighting instructions**

Use water spray or fog to cool exposed containers.

**Protective equipment for firefighters**

Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

**Other information**

On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**General measures**

Dike or impound spilled material. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup. Equip cleanup crew with proper protective equipment.

#### 6.11 Protective Equipment

#### 6.2 Environmental precautions

Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**

Soak up spills with inert solids, such as clay or diatomaceous earth. Collect into vapor tight containers and dispose of properly.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

**Protective measures**

Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.

**Hygiene measures**

Wash contaminated clothing before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

**Storage conditions**

Store in accordance with local regulations. Store in original container in a cool well ventilated place. Keep containers tightly closed until ready for use. **Keep from freezing.**

**Incompatible materials**

None known

**Storage temperature**

Prevent exposure to freezing temperatures.

## Section 8. Exposure controls/personal protection

**8.1 Control parameters**

**Occupational exposure limits**

Ingredient name	Occupational exposure limits ACGIH TLV (United States, 2/2010)
Petroleum distillate	TWA 400 ppm
Xylene	TWA 100 ppm
Ethylbenzene	TWA 20 ppm

**8.2 Exposure controls**

**Appropriate engineering controls**

Use with adequate ventilation to keep product vapor concentrations below specified TLV

**Eye and face protection**

Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.

**Skin protection**

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.

**Respiratory protection**

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

## Section 9. Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

<b>Appearance</b>	Tan emulsion
<b>Odor</b>	Mild solvent
<b>Odor Threshold</b>	No data available
<b>PH</b>	No data available
<b>Melting point</b>	No data available
<b>Freezing point</b>	No data available
<b>Boiling point</b>	100 C (212 F)
<b>Flash point</b>	Not applicable
<b>Relative evaporation rate (butyl acetate=1)</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Upper/lower explosive limits</b>	No data available
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Relative density (Specific gravity)</b>	0.996 Kg per Liter 8.31 Lbs per Gallon
<b>Solubility</b>	Water: Complete
<b>Partition coefficient n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	Not applicable
<b>Viscosity</b>	No data available
<b>VOC content</b>	Less than 350 grams per liter

## Section 10. Stability and reactivity



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

<b>14.1 UN number</b>	Not dangerous goods in sense of transport regulations.
<b>14.2 UN proper shipping name</b>	Concrete Curing Compounds
<b>14.3 Transport hazard class(es)</b>	Not applicable
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	No additional information available
<b>14.6 Special precautions for user</b>	
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No additional information available
<b>14.8 Transport in bulk according to CFR 49 173.15</b>	Not applicable

**SECTION 15. Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.2 USA Regulations****Section 313****TSCA****Proposition 65**

Contains no ingredients at or above the De Minimus reporting level  
All ingredients are listed or exempted  
None of the ingredients is listed

**15.1.3 Canada Regulations**

This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation* (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR.

**DSL**

All ingredients are listed or exempted

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

**Section 16. Other information**

Date of issue	5-3-2016
Version	2.1
Number	830
Date of previous issue	3-23-2016
Preparer	Nox-Crete Manufacturing Inc.

**Reference Documentation**

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyer's risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and/or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

**Disclaimer**

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

**Full text of R, H and EUH phrases**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

---

H332 - Harmful if inhaled	Acute Tox. 4 (inhalation)
H336 - May cause drowsiness or dizziness	drowsiness STOT SE 3
H351 - Suspected of causing cancer	Carc. 2
H360 - May damage fertility or the unborn child	Repr. 1B
H373 - May cause damage to organs	STOT RE 2

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P308+P313 - IF exposed or concerned: Get medical advice/attention  
P403+P233 - Store in a well ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.