

RELEASE AGENT 10 (450) Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier **Product Form** Trade Name Product Code Use 1.2.2 Uses Advised Against No additional information available

Mixture RELEASE AGENT 10 (450) R10450

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial. For professional use only.

1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE MANUFACTURING INC 1444 SOUTH 20TH STREET **OMAHA, NE 68108** Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

Classification of the substance or mixture Classification according to Regulations 29CFR 1910.1200, (EC) No. 1272/2008(CLP)(GHS)

Asp. Tox. 1 H304

Full text of H phrases see section 16 Adverse physiochemical, human health and environmental effects No additional information available 2.2 Label elements Hazard pictograms



Signal word

Hazard statements

Precautionary statements

Danger

H304 – May be fatal if swallowed and enters airway

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331 - Do NOT induce vomiting P264: Wash... thoroughly after handling P405 - Store locked up.



to concrete problems

RELEASE AGENT 10 (450) Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

None known

Full text of R, H and EUH phrases: see section 16

Section 3. Composition / information on ingredients

3.1SubstancesNot applicable3.2Mixture

Name	Product identifier	%
Petroleum Base Oil, Hydrotreated	Trade Secret	Trade Secret
Petroleum Distillates, Hydrotreated	Trade Secret	Trade Secret

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures		
4.1 Description of first aid measures		
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by	
First-aid measures after inhalation	mouth to an unconscious person. If the individual experiences nausea, dizziness, has difficulty In breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing.	
First aid managers often akin sentest	Immediately call a Poison Center or doctor/physician.	
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.	
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.	
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention	
-	immediately.	
4.2 Most important symptoms and effects, acute and delayed		
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.	
Symptoms/injuries after skin contact	May cause skin irritation or burning sensation	
Symptoms/injuries after eye contact	May cause eye irritation or injury	
Symptoms/injuries after ingestion	May cause severe irritation or burns to the mucous membrane of the	
	mouth, throat, esophagus and stomach	
4.3 Indication of any immediate medical at	ention and special treatment needed	

No additional information available

Section 5. Firefighting measures



RELEASE AGENT 10 (450) Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

5.1 Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the subst	ance or mixture
Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	
Firefighting instructions	Combustible Liquid! This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures

<u>6.1</u>	6.1 Personal precautions, protective equipment and emergency procedures	
		Eliminate any ignition sources. Dike or impound spilled material. Take
		proper precautions to ensure your own health and safety before
		attempting spill control or cleanup.
<u>6.11</u>	Protective Equipment	Equip cleanup crew with proper protective equipment.
<u>6.2</u>	Environmental precautions	Prevent entry to sewers and public waters.
		Notify authorities if liquid enters sewers or public waters.
<u>6.3</u>	Methods and materials for containment	and cleaning up
Meth	Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth	
		Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling		
Protective measures	Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.	
Hygiene measures	Wash contaminated clothing before reuse.	
7.2 Conditions for safe storage, including any incompatibilities		
Storage conditions	Store in accordance with local regulations. Store in original container in a cool well ventilated place. Keep containers tightly closed until ready for use. Keep from freezing.	
Incompatible materials	Acids, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys	
Storage temperature	Store in a cool dry environment away from sources of ignition.	

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits	
Ingredient name Occupational exposure limits	
	ACGIH TLV (United States)
Petroleum Base Oil, Hydrotreated	TWA: 200 ppm 8 hours
Petroleum Distillates, Hydrotreated	TWA: 5 mg/m3 8 hours as mist



to concrete problems

RELEASE AGENT 10 (450) Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

8.2 Exposure controls	
Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV
Eye and face protection	Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceClear to pale straw liquidOdorMildOdor ThresholdNo data availablePHNo data availableMelting pointNo data availableFreezing pointNo data availableBoiling point150 C (300 F)Flash point> 94 C > 200 FRelative evaporation rate (butyl acetate=1)No data availableJpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	9.1 Information on basic physical and chemical properties	
Odor ThresholdNo data availablePHNo data availableMelting pointNo data availableFreezing pointNo data availableBoiling point150 C (300 F)Flash point> 94 C > 200 FRelative evaporation rate (butyl acetate=1)No data availablePlammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Appearance	Clear to pale straw liquid
PHNo data availableMelting pointNo data availableFreezing pointNo data availableBoiling point150 C (300 F)Flash point> 94 C > 200 FRelative evaporation rate (butyl acetate=1)No data availableFlammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Odor	Mild
Melting pointNo data availableFreezing pointNo data availableBoiling point150 C (300 F)Flash point> 94 C > 200 FRelative evaporation rate (butyl acetate=1)No data availableFlammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Odor Threshold	No data available
Freezing pointNo data availableBoiling point150 C (300 F)Flash point> 94 CRelative evaporation rate (butyl acetate=1)No data availableFlammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	PH	No data available
Boiling point150 C (300 F)Flash point> 94 C > 200 FRelative evaporation rate (butyl acetate=1)No data availableFlammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Melting point	No data available
Flash point> 94 C> 200 FRelative evaporation rate (butyl acetate=1)No data availableFlammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Freezing point	No data available
Relative evaporation rate (butyl acetate=1)No data availableFlammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Boiling point	150 C (300 F)
Flammability (solid, gas)No data availableUpper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Flash point	> 94 C > 200 F
Upper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Relative evaporation rate (butyl acetate=1)	No data available
Vapor pressureNo data availableVapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Flammability (solid, gas)	No data available
Vapor densityNo data availableRelative density (Specific gravity)0.83 Kg per Liter 6.9 Lbs per Gallon	Upper/lower explosive limits	No data available
Relative density (Specific gravity)0.83 Kg per Liter6.9 Lbs per Gallon	Vapor pressure	No data available
	Vapor density	No data available
	Relative density (Specific gravity)	0.83 Kg per Liter 6.9 Lbs per Gallon
Solubility Water: Negligible	Solubility	Water: Negligible
Partition coefficient n-octanol/water No data available	Partition coefficient n-octanol/water	No data available
Auto-ignition temperature Not applicable	Auto-ignition temperature	Not applicable
Viscosity No data available	Viscosity	No data available
VOC content No data available	VOC content	No data available

Section 10. Stability and reactivity

10.1 Reactivity

10.2 Chemical stability 10.3 Possibility of hazardous reactions 10.4 Conditions to avoid 10.5 Incompatible materials No additional information available Stable under normal conditions Hazardous polymerization will not occur. Extreme high or low temperatures. Strong acids, alkalies and oxidizers Carbon Monoxide, Carbon Dioxide

Section 11. Toxicology information

10.6 Hazardous decomposition products

11.1 Information on toxicological effects	
Acute toxicity	
Irritation/Corrosion Skin	
Eyes	
Respiration or skin sensitization	
Germ cell mutagenicity	
Carcinogenicity	

No adverse effects expected under intended use. May cause skin irritation May causes serious eye irritation and damage. May cause respiratory irritation No data available No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the



RELEASE AGENT 10 (450) Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Reproductive toxicity Specific target organ toxicity Single exposure Repeated exposure Aspiration hazard	U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC No data available No data available No data available May be fatal if swallowed and enters airways
Section 12. Ecological information	
12.1 Ecotoxicity12.2 Persistence and degradability12.3 Bioaccumulative potential12.4 Mobility in soil12.5 Other adverse effects	Not established Not established Not established No additional information available Avoid release to the environment
SECTION 13. Disposal Considera	tions
13.1 Waste treatment methods	The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
SECTION 14. Transport information	
In accordance with ADR / RID / ADNR / IMDO	G / ICAO / IATA
<u>14.1 UN number</u> 14.2 UN proper shipping name	Not dangerous goods in sense of transport regulations. Compounds, Mold Release. N.O.I. NMFC# 50244
14.3 Transport hazard class(es)14.4 Packing group14.5 Environmental hazards14.6 Special precautions for user14.7 Transport in bulk seconding to	Not applicable Not applicable No additional information available
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.8 Transport in bulk according to	No additional information available
CFR 49 173.15	Not applicable
SECTION 15. Regulatory informati	on
15.1 Safety, health and environmental regul	ations/legislation specific for the substance or mixture
15.1.2 USA Regulations Section 313 TSCA Proposition 65	Contains no ingredients at or above the De Minimus reporting level All ingredients are listed or exempted None of the ingredients is listed
15.1.3 Canada Regulations	This SDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.
DSL WHMIS 15.2 Chemical safety assessment	All ingredients are listed or exempted Class: D-2 A Chemical Safety Assessment has not been carried out.
Section 16. Other information	
EN (English)	Page 5 of 6



RELEASE AGENT 10 (450) Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Date of issue Version Number Date of previous issue Preparer Reference Documentation 1-13-2015 2.2 616 11-24-2014 Nox-Crete Manufacturing Inc.

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyers risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Disclaimer

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

Full text of R, H and EUH phrases

Asp. Tox. 1 - Aspiration hazard, hazard category 1

H304 - May be fatal if swallowed and enters airway

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

P264: Wash... thoroughly after handling

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.