

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

#### Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**Product Form** Mixture

**CURE AND SEAL 1315 A** Trade Name

**Product Code** CS1315A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE MANUFACTURING INC

1444 SOUTH 20<sup>TH</sup> STREET

**OMAHA, NE 68108** Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

**Emergency Number** Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

#### Section 2. **Hazards identification**

#### Classification of the substance or mixture

2.1 Classification of the substance or mixture Classification according to Regulations 29CFR 1910.1200 , (EC) No. 1272/2008(CLP)(GHS)

H226 Flam Liq. 3 Asp. Tox. 1 H304 Acute Tox. 4 (dermal) H312 Skin Irrit. 2 H315 Acute Tox. 4 (inhalation) H332

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



Signal word Danger

EN (English) Page 1 of 7



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Hazard statements H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airway

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H332 - Harmful if inhaled

Precautionary statements

P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/light/.../equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately

all contaminated clothing. Rinse skin with water / shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P331 - Do NOT induce vomiting

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for

extinction

P403+P235 - Store in a well ventilated place. Keep cool. P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations.

#### 2.3 Other hazards

Full text of R, H and EUH phrases: see section 16

#### Section 3. Composition / information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixture

Name	Product identifier	%
Xylene	1330-20-7	< 25.0
Hydrotreated Light Distillate	Trade Secret	Trade Secret
Ethylbenzene	100-41-4	< 5.5

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

#### Section 4. First aid measures

EN (English) Page 2 of 7



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

4.1 Description of first aid measures

First-aid measures general Get medical advice/attention if you feel unwell. Never give anything by

mouth to an unconscious person.

breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

Poison Center or doctor/physician.

First-aid measures after skin contact If skin irritation persists, seek medical attention. Remove or take off

immediately all contaminated clothing. Rinse skin with water or shower.

Wash off immediately with soap and plenty of water.

First-aid measure after eye contact When contact lenses are worn, remove if possible. In case of contact with

eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes

while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may

result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

Symptoms/injuries after eye contact May cause eye irritation or injury

Symptoms/injuries after ingestion May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

#### **Section 5.** Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Unsuitable extinguishing media
Dry chemical, foam, carbon dioxide
Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

**Reactivity** Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

**Firefighting instructions** Flammable Liquid! This material releases vapors when heated above

ambient temperatures. Vapors can cause a flash fire. Use water spray

or fog to cool exposed containers.

Protective equipment for firefighters Firefighters should always wear self-contained breathing apparatus

(SCBA) and full protective gear when fighting any chemical fire.

Other information On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

General measures Extremely Flammable. Eliminate any ignition sources. Dike or impound

spilled material. Use Non-sparking tools. All equipment must be grounded. Take proper precautions to ensure your own health and

safety before attempting spill control or cleanup.

<u>6.11 Protective Equipment</u> Equip cleanup crew with proper protective equipment.

**6.2 Environmental precautions** Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth.

EN (English) Page 3 of 7



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Collect into vapor tight containers and dispose of properly.

#### Section 7. Handling and storage

7.1 Precautions for safe handling

**Protective measures** Wash hands and other exposed areas with soap and water before eating,

drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers

tightly closed. Avoid breathing vapor or mist.

**Hygiene measures** Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Store in accordance with local regulations. Store in original container in a

cool well ventilated place away from heat, sparks and open flame.. Keep

containers tightly closed until ready for use. Keep from freezing.

Incompatible materials Strong oxidizing agents

Storage temperature Store in a cool dry environment away from sources of ignition.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Xylene	TWA: 100 ppm 8 hours
Hydrotreated Light Distillate	TWA: 100 ppm 8 hours
Ethylbenzene	TWA: 100 ppm 8 hours

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations

below specified TLV

Eye and face protection Chemical goggles and/or face shields are required to prevent potential

eye contact, irritation or injury.

**Skin protection** Wear chemical resistant gloves and appropriate protective clothing and

boots as required to prevent skin contact. Wash exposed skin

frequently with soap and water. Soiled clothing should be laundered

before reuse.

**Respiratory protection**General room ventilation is normally adequate. Avoid breathing the

product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

### Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance** Clear liquid

OdorStrong Aromatic OdorOdor ThresholdNo data availablePHNo data availableMelting pointNo data availableFreezing pointNo data availableBoiling point> 280 C (>338 F)Flash point32 C 90 F PMCC

Relative evaporation rate (butyl acetate=1) No data available

Flammability (solid, gas) Flammable liquid and vapor

 Upper/lower explosive limits
 No data available

EN (English) Page 4 of 7



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Vapor pressureNo data availableVapor densityNo data available

Relative density (Specific gravity) 0.86 Kg per Liter 7.2 Lbs per Gallon

Solubility Water: Negligible
Partition coefficient n-octanol/water No data available
Auto-ignition temperature No data available
Viscosity No data available

Viscosity
No data available
VOC content
Less than 700 g/l

#### Section 10. Stability and reactivity

10.1 ReactivityNo additional information available10.2 Chemical stabilityStable under normal conditions

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 Hazardous polymerization will not occur.
 Extreme high or low temperatures.

10.5 Incompatible materials Strong acids and oxidizers

10.6 Hazardous decomposition products carbon monoxide, carbon dioxide, various hydrocarbon derivatives

#### Section 11. Toxicology information

#### 11.1 Information on toxicological effects

Acute toxicity

Irritation/Corrosion Skin May cause skin irritation

May access a minuted in instatic

**Eyes** May causes serious eye irritation and damage.

**Respiration or skin sensitization** May cause respiratory irritation

Germ cell mutagenicity No data available

Carcinogenicity IARC has classified ethylbenzene as (2B) based on inadequate

evidence in humans and sufficient evidence in laboratory animals.

No adverse effects expected under intended use.

No data available

Specific target organ toxicity

Reproductive toxicity

Single exposureNo data availableRepeated exposureNo data available

Aspiration hazard May be fatal if swallowed and enters airways

### Section 12. Ecological information

12.1 EcotoxicityNot established12.2 Persistence and degradabilityNot established12.3 Bioaccumulative potentialNot established

12.4 Mobility in soilNo additional information available12.5 Other adverse effectsAvoid release to the environment

#### SECTION 13. Disposal Considerations

#### 13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

### SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

EN (English) Page 5 of 7



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

**14.1 UN number** UN1263

**14.2 UN proper shipping name** Paint Related Material UN1263

14.3 Transport hazard class(es) Flammable Liquid

14.4 Packing group

14.5 Environmental hazards No additional information available

14.6 Special precautions for user
14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code No additional information available

14.8 Transport in bulk according to

CFR 49 173.15 Not applicable

### SECTION 15. Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2 USA Regulations Section 313

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all

SDS's copied or distributed for this material.

 CHEMICAL
 CAS #
 MAX WEIGHT %

 Xylene
 1330-20-7
 25.0

 Ethylbenzene
 100-41-4
 5.5

TSCA All ingredients are listed or exempted

Proposition 65 This product contains one or more chemicals known to the State of

California to cause cancer and/or reproductive toxicity.

15.1.3 Canada Regulations This SDS has been prepared according to the hazard criteria of the

Controlled Products Regulations (CPR) and the SDS contains all of the

information required by the CPR.

**DSL** All ingredients are listed or exempted

WHMIS Class B, D2-B

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

#### Section 16. Other information

Date of issue 1-19-2015
Version 2.1
Number 802
Date of previous issue 7-30-2014

Preparer Nox-Crete Manufacturing Inc.

Reference Documentation

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyers risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Disclaimer

EN (English) Page 6 of 7



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

#### Full text of R, H and EUH phrases

Flam Liq. 3 - Flammable liquids, hazard category 3

Asp. Tox. 1 - Aspiration hazard, hazard category 1

Acute Tox. 4 (dermal) - Acute toxicity (dermal), hazard category 4

Skin Irrit. 2 - Skin irritation, hazard category 2

Acute Tox. 4 (inhalation) - Acute toxicity (inhalation), hazard category 4

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airway

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H332 - Harmful if inhaled

P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/light/.../equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P331 - Do NOT induce vomiting

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

P403+P235 - Store in a well ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

EN (English) Page 7 of 7