

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form Mixture

Trade Name PRECAST RELEASE 80 (450)

Product Code P80450

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE MANUFACTURING INC

1444 SOUTH 20TH STREET

OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: corporate@nox-crete.com
Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulations 29CFR 1910.1200, (EC) No. 1272/2008(CLP)(GHS)

Flam Liq. 4 H227 Asp. Tox. 1 H304

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



Signal word Danger

Hazard statements H227 - Combustible liquid

H304 – May be fatal if swallowed and enters airway

Precautionary statements

Prevention: P210- Keep away from heat/sparks/open flames/hot surfaces-No

smoking

EN (English) Page 1 of 6



According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

P264 - Wash exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face

protection

Response: P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P331 - Do NOT induce vomiting

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for

extinction

Storage: P403+P235 - Store in a well ventilated place. Keep cool.

P405 - Store locked up.

Disposal: P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

2.3 Other hazards None known

Full text of R, H and EUH phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

Name	Product identifier	%
Petroleum Base Oil, Hydrotreated	Trade Secret	1540
Petroleum Distillates, Hydrotreated	Trade Secret	60100

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures

4.1	Description	of first ai	id measures
-----	-------------	-------------	-------------

First-aid measures general Get medical advice/attention if you feel unwell. Never give anything by

mouth to an unconscious person.

a healthcare professional immediately. In all cases of doubt, or when

symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or

doctor/physician.

immediately all contaminated clothing. Rinse skin with water or shower. Wash

off immediately with soap and plenty of water.

First-aid measure after eye contact When contact lenses are worn, remove if possible. In case of contact with

eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while

holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may result

in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact May cause skin irritation or burning sensation

EN (English) Page 2 of 6



According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Symptoms/injuries after eye contact May cause eye irritation or injury

Symptoms/injuries after ingestion May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use fire-extinguishing media appropriate for surrounding materials.

Dry chemical, foam, carbon dioxide

Unsuitable extinguishing media Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

Reactivity Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Firefighting instructions Combustible Liquid! This material releases vapors when heated above

ambient temperatures. Vapors can cause a flash fire. Use water spray

or fog to cool exposed containers.

Protective equipment for firefightersFirefighters should wear self-contained breathing apparatus (SCBA) and

full protective gear when fighting any chemical fire.

Other information On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures Eliminate any ignition sources. Dike or impound spilled material. Take

proper precautions to ensure your own health and safety before

attempting spill control or cleanup.

6.11 Protective Equipment Equip cleanup crew with proper protective equipment.

6.2 Environmental precautions Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures Wash hands and other exposed areas with soap and water before eating,

drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly

closed. Avoid breathing vapor or mist.

Hygiene measures Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Store in accordance with local regulations. Store in original container in a cool

well ventilated place. Keep containers tightly closed until ready for use. Keep

from freezing.

Incompatible materials Acids, prolonged contact with aluminum, brass, bronze, copper, lead,

tin, zinc or other alkali sensitive metals or alloys

Storage temperature Store in a cool dry environment away from sources of ignition.

Section 8. Exposure controls/personal protection

EN (English) Page 3 of 6



According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Petroleum Base Oil, Hydrotreated	TWA: 200 ppm 8 hours
Petroleum Distillates, Hydrotreated	TWA: 5 mg/m3 8 hours as mist

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations

below specified TLV

Eye and face protectionChemical goggles and/or face shields are required to prevent potential

eye contact, irritation or injury.

Skin protection Wear chemical resistant gloves and appropriate protective clothing and

boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered

before reuse.

Respiratory protectionGeneral room ventilation is normally adequate. Avoid breathing the

product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Clear to pale straw liquid

Odor Mild

Odor ThresholdNo data availablePHNo data availableMelting pointNo data availableFreezing pointNo data availableBoiling point150 C (300 F)

Flash point > 60 C (140 F) < 93 C (200 F)

Relative evaporation rate (butyl acetate=1)

Flammability (solid, gas)

Upper/lower explosive limits

Vapor pressure

Vapor density

No data available

Relative density (Specific gravity) 0.85 Kg per Liter 7.1 Lbs per Gallon

Solubility

Partition coefficient n-octanol/water
Auto-ignition temperature
Viscosity

VOC content

Water: Negligible
No data available
No data available
No data available

Section 10. Stability and reactivity

10.1 ReactivityNo additional information available10.2 Chemical stabilityStable under normal conditions

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 Hazardous polymerization will not occur.
 Extreme high or low temperatures.

10.5 Incompatible materials

10.6 Hazardous decomposition products

Strong acids, alkalies and oxidizers

Carbon Monoxide, Carbon Dioxide

Section 11. Toxicology information

EN (English) Page 4 of 6



According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

11.1 Information on toxicological effects

Acute toxicity

No adverse effects expected under intended use.

Irritation/Corrosion Skin May cause skin irritation

Eyes May causes serious eye irritation and damage.

Respiration or skin sensitizationMay cause respiratory irritation

Germ cell mutagenicity Not classified

Carcinogenicity No component of this product present at levels greater than 0.1 % is

Not classified

identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on

Research on Cancer (IARC)

Reproductive toxicity

Specific target organ toxicity

Single exposure Not classified Repeated exposure Not classified

Aspiration hazard May be fatal if swallowed and enters airways

Section 12. Ecological information

Not established

12.2 Persistence and degradabilityNot established12.3 Bioaccumulative potentialNot established

12.4 Mobility in soilNo additional information available12.5 Other adverse effectsAvoid release to the environment

SECTION 13. Disposal Considerations

residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN number Not dangerous goods in sense of transport regulations.

14.2 UN proper shipping name Compounds, Mold Release. N.O.I.

NMFC# 50244

14.3 Transport hazard class(es)Not applicable14.4 Packing groupNot applicable

14.5 Environmental hazards No additional information available

14.6 Special precautions for user
14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code No additional information available

14.8 Transport in bulk according to

CFR 49 173.15 Not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2 USA Regulations

Section 313 Contains no ingredients at or above the De Minimus reporting level

TSCA All ingredients are listed or exempted Proposition 65 None of the ingredients is listed

EN (English) Page 5 of 6



According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

<u>15.1.3 Canada Regulations</u> This SDS has been prepared according to the hazard criteria of the Controlled

Products Regulations (CPR) and the SDS contains all of the information

required by the CPR

DSL All ingredients are listed or exempted

WHMIS

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

Section 16. Other information

Date of issue 2-5-2015
Version 2.3
Number 757
Date of previous issue 4-7-2014

Preparer Nox-Crete Manufacturing Inc.

Reference Documentation

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyers risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Disclaimer

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

Full text of R, H and EUH phrases

Flam Liq. 4 - Combustible liquid

Asp. Tox. 1 - Aspiration hazard, hazard category 1

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airway

P210- Keep away from heat/sparks/open flames/hot surfaces-No smoking

P264 - Wash exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

P403+P235 - Store in a well ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

EN (English) Page 6 of 6