

Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier **Product Form** Trade Name Product Code Use 1.2.2 Uses Advised Against

Mixture **RELEASE AGENT 10 100** RA100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial. For professional use only.

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE MANUFACTURING INC 1444 SOUTH 20TH STREET **OMAHA, NE 68108** Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

<u>2.</u>1 Classification of the substance or mixture Classification according to Regulations 29CFR 1910.1200, (EC) No. 1272/2008(CLP)(GHS)

Asp. Tox. 1 H304

Full text of H phrases see section 16 Adverse physiochemical, human health and environmental effects No additional information available 2.2 Label elements

Hazard pictograms

GHS Physical Hazard Pictogram	GHS Health Hazard Pictogram	GHS Environmental Hazard Pictogram
Not Applicable		Not Applicable
	Aspiration hazard	

Signal word Hazard statements Precautionary statements

Danger

H304 – May be fatal if swallowed and enters airway P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331 - Do NOT induce vomiting



Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

2.3 Other hazards

HMIS - ratings (scale 0-4) 0 low- 4 high

Health	1
Flammability	1
Reactivity	0
Personal	X
Protection	

Full text of R, H and EUH phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances Not applicable

3.2 Mixture

Name	Product identifier	%
Petroleum Distillates, Hydrotreated	Trade Secret	60100

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures		
<u>4.1</u> Description of first aid measures First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.	
First-aid measures after inhalation	If the individual experiences nausea, dizziness, has difficulty In breathing seek a healthcare professional immediately. Remove to fresh air and keep at rest in a position comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.	
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water.	
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. If irritation persists, get medical attention immediately.	
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.	
4.2 Most important symptoms and effects, acute and delayed		
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.	
Symptoms/injuries after skin contact Symptoms/injuries after eye contact	May cause skin irritation or burning sensation May cause eye irritation or injury	



Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

Symptoms/injuries after ingestion

Swallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.

Use fire-extinguishing media appropriate for surrounding materials.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

<u>5.1</u>	Extinguishing media	
Suit	able extinguishing media	

5 5	
	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the subst	ance or mixture
Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	
Firefighting instructions	Combustible Liquid! This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures

<u>6.1</u>	6.1 Personal precautions, protective equipment and emergency procedures		
General measures		Eliminate any ignition sources. Dike or impound spilled material. Take	
		proper precautions to ensure your own health and safety before	
		attempting spill control or cleanup.	
<u>6.11</u>	Protective Equipment	Equip cleanup crew with proper protective equipment.	
<u>6.2</u>	Environmental precautions	Prevent entry to sewers and public waters.	
		Notify authorities if liquid enters sewers or public waters.	
6.3 Methods and materials for containment and cleaning up			
Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth		Soak up spills with inert solids, such as clay or diatomaceous earth.	
		Collect into vapor tight containers and dispose of properly.	

Section 7. Handling and storage

7.1 Precautions for safe handling		
Protective measures	Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.	
Hygiene measures	Wash contaminated clothing before reuse.	
7.2 Conditions for safe storage, including any incompatibilities		
Storage conditions	Store in accordance with local regulations. Store in original container in a cool well ventilated place. Keep containers tightly closed until ready for use. Keep from freezing.	
Incompatible materials	Acids, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys	
Storage temperature	Store in a cool dry environment away from sources of ignition.	

Section 8. Exposure controls/personal protection



Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

8.1 Control parameters

Occupational exposure limits	
Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Petroleum Distillates, Hydrotreated	TWA: 5 mg/m3 8 hours as mist
8.2 Exposure controls	
Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV
Eye and face protection	Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties Information on basic physical and chemical properties 9.1 Appearance Clear to pale straw liquid Odor Mild **Odor Threshold** No data available PH No data available **Melting point** No data available **Freezing point** No data available **Boiling point** 260 C (500 F) Flash point >94 C > 200 F Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) No data available **Upper/lower explosive limits** No data available Vapor pressure No data available Vapor density No data available Relative density (Specific gravity) 0.85 Kg per Liter 7.1 Lbs per Gallon Solubility Water: Negligible Partition coefficient n-octanol/water No data available Auto-ignition temperature No data available Viscosity No data available VOC content No data available Section 10. Stability and reactivity 10.1 Reactivity No additional information available 10.2 Chemical stability Stable under normal conditions 10.3 Possibility of hazardous reactions Hazardous polymerization will not occur. 10.4 Conditions to avoid Extreme high or low temperatures. 10.5 Incompatible materials Strong acids, alkalies and oxidizers 10.6 Hazardous decomposition products Carbon Monoxide, Carbon Dioxide Section 11. Toxicology information

11.1 Information on toxicological effects Acute toxicity

No adverse effects expected under intended use.



Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

1 % is gram, the \gency on

12.1 Ecotoxicity12.2 Persistence and degradability12.3 Bioaccumulative potential12.4 Mobility in soil

Not established Not established Not established No additional information available Avoid release to the environment

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

12.5 Other adverse effects

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA		
<u>14.1 UN number</u>	Not dangerous goods in sense of transport regulations.	
14.2 UN proper shipping name	Compounds, Mold Release. N.O.I.	
	NMFC# 50244	
14.3 Transport hazard class(es)	Not applicable	
14.4 Packing group	Not applicable	
14.5 Environmental hazards	No additional information available	
14.6 Special precautions for user		
14.7 Transport in bulk according to		
Annex II of MARPOL 73/78 and the IBC Code	No additional information available	
14.8 Transport in bulk according to		
<u>CFR 49 173.15</u>	Not applicable	
SECTION 15. Regulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations		
Section 313	Contains no ingredients at or above the De Minimus reporting level	
TSCA	All ingredients are listed or exempted	
Proposition 65	None of the ingredients is listed	
15.1.3 Canada Regulations		
DSL	All ingredients are listed or exempted	



Safety Data Sheet

According to Regulation 29 CFR 1910.1200 Regulation (EC) No. 1272/2008 (CLP)(GHS)

WHMIS

This SDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Section 16. Other information

Date of issue	4-16-2014
Version	2.0
Number	787
Date of previous issue	2-27-14
Preparer	Nox-Crete Manufacturing Inc.

Reference Documentation

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyers risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Disclaimer

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

Full text of R, H and EUH phrases

Asp. Tox. 1 - Aspiration hazard, hazard category 1 H304 - May be fatal if swallowed and enters airway P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331 - Do NOT induce vomiting P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse